

[Literatur]

Dental Magazin [Dent Mag] 2018;36(5):6-16

Expertenzirkel zweiteilige Keramikimplantate: „Weiß und verschraubt“

Univ.-Prof. DDr. Werner Zechner, Wien, PD Dr. habil. Dr. Michael Gahlert, München, Dr. Sandro Matter, Zürich

- 1 Junk S et al., Success Rate of Two-Piece Zirconia Implants: A Retrospective Statistical Analysis. *Implant Dent.* 2016 Apr; 25 (2)
- 2 Pieralli S, Kohal RJ, Jung RE, Vach K, Spies BC. Clinical Outcomes of Zirconia, Dental Implants: A Systematic Review. *J Dent Res.* 2017 Jan;96(1):38–44. Anmerkung 3: 3
- 3 Sailer I et al.) Asgeirsson AG, Thoma DS, Fehmer V, Aspelund T, Özcan M, Pjetursson BE. Fracture strength of zirconia implant abutments on narrow diameter implants with internal and external implant abutment connections: A study on the titanium resin base concept. *Clin Oral Implants Res.* 2018 Apr;29(4):411–423. doi:
- 4 Chappuis V et al., Osseointegration of zirconia and titanium implants in the presence of multi nucleated giant cells. *CIDRR,* 2015 Sept. 17,
- 5 Cosgarea R et al., Peri-implant soft tissue colour around titanium and zirconia abutments: a prospective randomized controlled clinical study. *Clinical Oral Implant Research* 26, 2015 / 537–544;
- 6 Kajiwara N et al., Soft tissue biological response to zirconia and metal implant abutments compared with natural tooth: Microcirculation Monitoring as a Novel Bioindicator., *Implant Dentistry Volume 24, Number 1 2015.*)
- 7 Gahlert M, Kniha H, Weingart D, Schild S, Gellrich NC, Bormann KH. (2015) „A prospective clinical study to evaluate the performance of zirconium dioxide dental implants in single-tooth gaps“ *Clin Oral Implants Res.* 2015 Apr 1. doi: 10.1111/clr.12598. Epub ahead of print)
- 7a: Bormann K.H., Gellrich N.C., Kniha H., Schild S., Weingart D. & Gahlert M. (2018), A prospective clinical study to evaluate the performance of zirconium dioxide dental implants in single-tooth gaps in the maxilla and mandible: 3-year results, Review process in *BMC Oral Health* 2018
- 8 Grassi, F R, Capogreco, M, Consonni, D, Bilardi, G, Buti, J & Kalemaj, Z (2015) Immediate occlusal loading of one-piece zirconia implants: Five-year radiographic and clinical evaluation. *International Journal of Oral & Maxillofacial Implants* 30: 671–680.
- 9 Balmer M Spies BC, Vach K4, Kohal RJ, Hämmerle CHF, Jung RE. (2018) Three-year analysis of zirconia implants used for single-tooth replacement and three-unit fixed dental prostheses: A prospective multicenter study. *Clin Oral Implants Res.* 2018 Mar;29(3):290–299. doi: 10.1111/clr.13115. Epub 2018 Jan 12.
- 10: Cionca N , Müller N, Mombello A ; Two-piece zirconia implants supporting all-ceramic crowns: A prospective clinical study
- 11 Cionca N, Müller N, Mombello A ; Two-piece zirconia implants supporting all-ceramic crowns: A prospective clinical study
- 12: Sridhar; In Vitro Investigation of the Effect of Oral Bacteria in the Surface Oxidation of Dental Implants
- 13 Canullo L et al, Distinguishing predictive profiles for patient-based risk assessment and diagnostics of plaque induced, surgically and prosthetically triggered peri-implantitis. *Clin Oral Implants Res.* 2015 Nov 20
- 14 Sridhar S et al., In Vitro Investigation of the Effect of Oral Bacteria in the Surface Oxidation of Dental Implants. *Clin Implant Dent Relat Res.* 2015 Oct;17 Suppl 2;).