

Literatur

Dental Magazin [Dent Mag] 2018;36(3): 22-25

Dr. Andreas Rieger

Komposit versus Hybridkeramik

- [1] Hickel R, Heidemann D, Staehle HJ, Minning P, Wilson NH. Direct composite restorations: extended use in anterior and posterior situations. *Clin Oral Investig* 2014; 8: 43–4.
- [2] Hickel R, Ernst HP, Haller B, Hugo B, Kunzelmann KH, Merte K, Ott K, Schmalz G, Staehle HJ. Wissenschaftliche Stellungnahme der Deutschen Gesellschaft für Zahn-, Mund- und Kieferheilkunde. *Deutsche Zahnärztliche Zeitschrift* 2005; 60(10).
- [3] Frankenberger R, Taschner M, Roggendorf MJ, Krämer N. Keramik oder Komposit? Adhäsive Seitenzahnversorgung heute. *Bayerisches Zahnärzteblatt*, Dezember 2007.
- [4] Manhart J, Neuerer P, Scheibenbogen-Fuchsbrunner A, Hickel R. Three-year clinical evaluation of direct and indirect composite restorations in posterior teeth. *J Prosthet Dent*. 2000 Sep; 84(3): 289–96.
- [5] Desai PD, Das UK. Comparison of fracture resistance of teeth restored with ceramic inlay and resin composite: an in vitro study. *Indian J Dent Res* 2011 Nov-Dec; 22(6): 877. doi: 10.4103/0970–9290.94663.
- [6] Angeletaki F, Gkogkos A, Papazoglou E, Kloukos D. Direct versus indirect inlay/onlay composite restorations in posterior teeth. A systematic review and meta-analysis. *J Dent* 2016 Oct; 53:12–21. doi: 10.1016/j.jdent.2016.07.011. Epub 2016 Jul 22.
- [7] He LH, Purton D, Swain M. A novel polymer infiltrated ceramic for dental simulation. *J Mater Sci Mater Med* 2011 Jul; 22(7): 1639–43. doi: 10.1007/s10856–011–4350–3. Epub 2011 May 26.
- [8] Dejak B, Młotkowski A. A comparison of stresses in molar teeth restored with inlays and direct restorations, including polymerization shrinkage of composite resin and tooth loading during mastication. *Dent Mater* 2015 Mar; 31(3): e77–87. doi: 10.1016/j.dental.2014.11.016. Epub 2014 Dec 24.
- [9] Awada A, Nathanson D. Mechanical properties of resin-ceramic CAD/CAM restorative materials. *J Prosthet Dent* 2015 Oct; 114(4): 587–93.
- [10] Arnetzl G. CAD/CAM-Verbundwerkstoff für den Langzeiterfolg bei erhöhter klinischer Belastung. Die Hybridkeramik VITA ENAMIC als gnathologischer Lösungsansatz. *Quintessenz Zahntechnik* 2016; 42(9): 1290–1298.
- [11] Spitznagel FA, Horvath SD, Guess PC, Blatz MB. Resin bond to indirect composite and new ceramic/polymer materials: a review of the literature. *J Esthet Restor Dent* 2014; 26(6): 382–393.
- [12] Lauvahutanon S, Takahashi H, Oki M, Arksornnukit M, Kanehira M, Finger WJ. In vitro evaluation of the wear resistance of composite resin blocks for CAD/CAM. *Dent Mater J*. 2015; 34(4): 495–502.
- [13] Coldea A, Swain MV, Thiel N. In-vitro strength degradation of dental ceramics and novel PICN material by sharp indentation. *J Mech Behav Biomed Mater* 2013 Oct; 26(10): 34–42.
- [14] Tian T. Evaluation of bonding durability between CAD/CAM ceramics and resin cement. IADR 2013, Boston, USA [Test report published as poster abstract].