

## Literatur

Dental Magazin [Dent Mag] 2018;36 (7): 42-47.

Digital von A bis Z

1. Coachman C, Van Dooren E, Gürel G, Landsberg CJ, Calamita MA, Bichacho N. Smile design: From digital treatment planning to clinical reality. In: Cohen M, editor. *Interdisciplinary Treatment Planning. Vol 2: Comprehensive Case Studies*. Chicago: Quintessence; 2012. p. 119–74.
2. Coachman C, Calamita A, Sesma N. Dynamic documentation of the smile and the 2D/3D digital smile design process. *Int J Periodontics Restorative Dent*. 2017;37:183–93.
3. Pimentel W, Teixeira ML, Costa PP, Jorge MZ, Tioffi R. Predictable outcomes with porcelain laminate veneers: a clinical report. *J Prosthodont*. 2016;25: 335–40.
4. Lin WS, Zandinejad A, Metz MJ, Harris BT, Morton D. Predictable restorative work flow for computer-aided design/computer-aided manufacture-fabricated ceramic veneers utilizing a virtual smile design principle. *Oper Dent*. 2015;40: 357–63.
5. Arias DM, Trushkowsky RD, Brea LM, David SB. Treatment of the patient with gummy smile in conjunction with digital smile approach. *Dent Clin N Am*. 2015;59:703–16.
6. Coachman C, Calamita MA, Coachman FG, Coachman RG, Sesma N. Facially generated and cephalometric guided 3D digital design for complete mouth implant rehabilitation: a clinical report. *J Prosthet Dent*. 2017;117:577–86.
7. Zimmermann M, Mehl A. Virtual smile design systems: a current review. *Int J Comput Dent*. 2015;18:303–17.
8. Edelhoff D, Liebermann A, Beuer F, Stimmelmayer M, Güth JF. Minimally invasive treatment options in fixed prosthodontics. *Quintessence Int*. 2016; 47:207–16. <https://doi.org/10.3290/j.qi.a35115>.
9. Culp L, McLaren EA. Lithium disilicate: the restorative material of multiple options. *Compend Contin Educ Dent*. 2010;31:716–25.
10. Zarone F, Ferrari M, Mangano FG, Leone R, Sorrentino R. Digitally oriented materials: focus on lithium disilicate ceramics. *Int J Dent*. 2016;2016:9840594.
11. Soares PV, Spini PH, Carvalho VF, Souza PG, Gonzaga RC, Tolentino AB, et al. Esthetic rehabilitation with laminated ceramic veneers reinforced by lithium disilicate. *Quintessence Int*. 2014;45:129–33. <https://doi.org/10.3290/j.qi.a31009>.
12. Morimoto S, Albanesi RB, Sesma N, Agra CM, Braga MM. Main clinical outcomes of feldspathic porcelain and glass-ceramic laminate veneers: a systematic review and meta-analysis of survival and complication rates. *Int J Prosthodont*. 2016;29:38–49.
13. Sulaiman TA, Delgado AJ, Donovan TE. Survival rate of lithium disilicate restorations at 4 years: a retrospective study. *J Prosthet Dent*. 2015;114:364–6.
14. Tarantili VV, Halazonetis DJ, Spyropou-Los MN. The spontaneous smile in dynamic motion. *Am J Orthod Dentofac Orthop*. 2005;128:8–15.

15. Ender A, Mehl A. Accuracy of complete-arch dental impressions: a new method of measuring trueness and precision. *J Prosthet Dent.* 2013;109:121–8.
16. Aragón ML, Pontes L, Bichara L, Flores-Mir C, Normando D. Validity and reliability of intraoral scanners compared to conventional gypsum models measurements: a systematic review. *Eur J Orthod.* 2016;38:429–34.
17. Patzelt SB, Emmanouilidi A, Stampf S, Strub JR, Att W. Accuracy of full-arch scans using intraoral scanners. *Clin Oral Investig.* 2014;18:1687–94.
18. Renne W, Ludlow M, Fryml J, Schurch Z, Mennito A, Kessler R, Lauer A. Evaluation of the accuracy of 7 digital scanners: an in vitro analysis based on 3-dimensional comparisons. *J Prosthet Dent.* 2016; <https://doi.org/10.1016/j.prosdent.2016.09.024>.
19. Güth JF, Runkel C, Beuer F, Stimmelmayer M, Edelhoff D, Keul C. Accuracy of five intraoral scanners compared to indirect digitalization. *Clin Oral Investig.* 2017;21(5):1445–55. <https://doi.org/10.1007/s00784-016-1902-4>.
20. Imburgia M, Logozzo S, Hauschild U, Veronesi G, Mangano C, Mangano F. Accuracy of four intraoral scanners in oral implantology: a comparative in vitro study. *BMC Oral Health.* 2017;17(1):92.
21. Mangano FG, Veronesi G, Hauschild U, Mijiritsky E, Mangano C. Trueness and precision of four intraoral scanners in oral Implantology: a comparative in vitro study. *PLoS One.* 2016;11 <https://doi.org/10.1371/journal.pone.0163107>
22. van der Meer WJ, Andriessen FS, Wismeijer D, Ren Y. Application of intra- oral dental scanners in the digital workflow of implantology. *PLoS One* 2012;7. <https://doi.org/10.1371/journal.pone.0043312>
23. Güth JF, Edelhoff D, Schweiger J, Keul C. A new method for the evaluation of the accuracy of full-arch digital impressions in vitro. *Clin Oral Investig.* 2016;20:1487–94.
24. Ajioka H, Kihara H, Odaira C, Kobayashi T, Kondo H. Examination of the Position Accuracy of Implant Abutments Reproduced by Intra-Oral Optical Impression. *PLoS One* 2016;11. <https://doi.org/10.1371/journal.pone.0164048>
25. Chew AA, Esguerra RJ, Teoh KH, Wong KM, Ng SD, Tan KB. Three-Dimensional Accuracy of Digital Implant Impressions: Effects of Different Scanners and Implant Level. *Int J Oral Maxillofac Implants.* 2017;32:70–80.
26. Nedelcu RG, Persson AS. Scanning accuracy and precision in 4 intraoral scanners: an in vitro comparison based on 3-dimensional analysis. *J Prosthet Dent.* 2014;112:1461–71.
27. Patzelt SB, Vonau S, Stampf S, Att W. Assessing the feasibility and accuracy of digitizing edentulous jaws. *J Am Dent Assoc.* 2013;144:914–20.
28. Goracci C, Franchi L, Vichi A, Ferrari M. Accuracy, reliability, and efficiency of intraoral scanners for full-arch impressions: a systematic review of the clinical evidence. *Eur J Orthod.* 2016;38:422–8.
29. Roperto R, Assaf H, Soares-Porto T, Lang L, Teich S. Are different generations of CAD/CAM milling machines capable to produce restorations with similar quality? *J Clin Exp Dent.* 2016;8:423–8. <https://doi.org/10.4317/jced.52984>.

30. Guess PC, Selz CF, Steinhart YN, Stampf S, Strub JR. Prospective clinical split- mouth study of pressed and CAD/CAM all-ceramic partial-coverage restorations: 7-year results. *Int J Prosthodont.* 2013;26:21–5.
31. Ma L, Guess PC, Zhang Y. Load-bearing properties of minimal-invasive mono- lithic lithium disilicate and zirconia occlusal onlays: finite element and theo- retical analyses. *Dent Mater.* 2013;29:742–51.
32. Schlichting LH, Maia HP, Baratieri LN, Magne P. Novel-design ultra-thin CAD/ CAM composite resin and ceramic occlusal veneers for the treatment of severe dental erosion. *J Prosthet Dent.* 2011;105:217–26.
33. Fradeani M, Barducci G, Bacherini L, Brennan M. Esthetic rehabilitation of a severely worn dentition with minimally invasive prosthetic procedures (MIPP). *Int J Periodontics Restorative Dent.* 2012;32:135–47.
34. Magne P, Belser U. Porcelain versus composite inlays/onlays: effect of mechanical loads on stress distribution, adhesion, and crown flexure. *Int J Periodontics Restorative Dent.* 2003;23:543–55.
35. Magne P, Douglas WH. Porcelain veneers: dentin bonding optimization and biomimetic recovery of the crown. *Int J Prosthodont.* 1999;12:111–21.
36. Magne P, Douglas WH. Interdental design of porcelain veneers in the presence of composite fillings: finite element analysis of composite shrinkage and thermal stresses. *Int J Prosthodont.* 2000;13:117–24.
37. Hian L. Dental ceramics : a review of new materials and processing methods Monolithic zirconia restorations. 2017;31:133–46.
38. Abduo J, Lyons K. Clinical considerations for increasing occlusal vertical dimension: a review. *Aust Dent J.* 2012;57:2–10.